

REPLACEMENT SHEET

1/18

2




FIG. 1

+

2/18




FIG. 2

+

REPLACEMENT SHEET

3/18




FIG. 3

+

4/18




FIG. 4

+

REPLACEMENT SHEET

5/18




FIG. 5

+

6/18




FIG. 6

+

7/18

400

Select Host and Configuration Policy

✕

Select one of the Hosts
To Configure

Central Office Server

Accounting Dept. Server

Shipping Dept. Server

E-Commerce Sales Server A

Select one Configuration
Policies to Use

Bronze Configuration

Silver Configuration

Gold Configuration

Platinum Configuration

406

More Info

408

Next >

Cancel

FIG. 7

+

8/18




FIG. 8

+

REPLACEMENT SHEET

9/18




FIG. 9

+

10/18




FIG. 10

+

REPLACEMENT SHEET

11/18

128a...n




FIG. 11




FIG. 12

+

12/18

800

Select Host and Configuration Policy

Select Policy To Configure

Bronze Configuration
Silver Configuration
Gold Configuration
Platinum Configuration

802

803

New

Select Desired Throughput for Configuration

10 100 200 1000

MegaBytes per second

804

806

Selected Throughput 100 MB/sec

Select Desired Availability Level

810a ○
Standard Availability
(No data or hardware redundancy)

810b ●
High Availability
Data Redundancy and multiple paths to storage.

810c ○
Continuous Availability
(High data and hardware redundancy, no single point of failure)

808

Select Desired Latency Level

814a ○
Low Latency

814b ●
Standard Latency

814c ○
High Latency

812

820

Finish

Cancel

816

FIG. 13

+

13/18




FIG. 14

+

14/18




FIG. 15

+

15/18




FIG. 16a

16/18




FIG. 16b

17/18




FIG. 17

+

REPLACEMENT SHEET

18/18




FIG. 18